



MINIMUM DEPTHS

STREET LIGHTS	30"
GAS	30"
TELEPHONE	②
ELECTRIC POWER	②
STORM SEWER	40"
SANITARY SEWER	60"
CATV	24" (URBAN) 30" (RURAL)
WATER	54"
FIBER OPTIC (WITH TRACER WIRE 1' ABOVE THE NE)	48"
OTHER	30"

① NOTES:

THIS STANDARD IS A GUIDE ONLY AND DEVIATIONS MAY BE ACCEPTABLE WHERE THE CONDITIONS DICTATE. DIMENSIONS SHOWN ARE DESIREABLE BUT DO NOT GOVERN. THE INTENTION IS TO SHOW THE RELATIVE POSITION OF ALL UTILITIES. THIS DOES NOT PRECLUDE THE USE OF UTILITIES IN EASEMENTS IN OTHER LOCATIONS (I.E. BACK LOT LINES).

② ELECTRIC AND TELEPHONE LINES PER LATEST EDITION OF NATIONAL ELECTRIC SAFETY CODE.

ADAMS COUNTY TRANSPORTATION DEPARTMENT /ENGINEERING	<h2 style="margin: 0;">UTILITY LINE DEPTH</h2>	ADAMS COUNTY TRANSPORTATION DEPARTMENT /CONSTRUCTION INSPECTION
4430 S. ADAMS COUNTY PKWY. BRIGHTON, CO 80601	REVISION DATE: 06/02/14 FILE NAME: UTIL_DEPTH..DWG	4430 S. ADAMS COUNTY PKWY. BRIGHTON, CO 80601